# coilbox

### Coils cleaning



**DATA SHEET** 





## coilbox

#### Why Coilbox?

Because there is nothing else like it on the market for the effective cleaning of the delicate coils of air-conditioning systems, both for external"condenser" units, and interior "evaporators" (splits, fancoils). This innovative system consists of two complementary modules, the main "coilbox" module, which contains all the technology for the injection of active foam and water for rinsing, taken from the mains water. The other "waterbox" module is a tank holding 30 litres of water, for use when there is no connection to the mains. Both modules together make for a completely autonomous piece of equipment, both with regard to water and electricity, thanks to its rechargeable battery.

#### How does it help you?

From the first cleaning. Show your clients the ENERGY SAVINGS that clean serpentines in perfect working order can deliver. Power Just as much as you need. It is a common mistake to think that morepower is better. Its 7 bars of pressure provide just the right amount to cleanthe panels of the coil without bending them. Its autonomy allows youto reach further and work more effectively every day. There are extendible and flexible probes to reach into the most difficultareas without having to take the whole air-conditioning unit apart. It includesnozzles for injecting product and for rinsing at different degrees of pulverisation. A compact, light system with a totally functional design and specific sockets forthe many accessories.














#### TECHNICAL FEATURES

Power supply	Using rechargeable battery
Voltage	220 V / 110 V
Output pressure	7 bar at 2 l / min
Reloadable chemical	10 l Bag in box
"Waterbox" water tank	30 l modular
Structure material	Stainless Steel Aluminium
Dimensions L x A x Al L x W x H	436x422x1130mm 17,16x16,61x44,5 ir
Total weight of equipment when empty	27,5 kg / 60.6 lb
Approximate consumption	5m²/ liters of product (CoilFoam)



Optional accessories	Description	Reference	Weights and measures
waterbox	WATERBOX. Water tank module for Coilbox  30 liters capacity Have access to water where there is not water suply	TC3120625	435 x 420 x 730 mm / 15 kg 17 x 16.5 x 28.7 in / 33 lb
CollFoam	CoilFoam - Bag in box  High effectiveness alkaline degreaser for serpentines with no coating treatment.	PQ8400100	240 x 240 x 240 mm / 10 kg 9.4 x 9.4 x 9.4 in / 22 lb
Collnet	Coilnet - Bag in box  High effectiveness alkaline degreaser for serpentines.	PQ8400101	240 x 240 x 240 mm / 10 kg 9.4 x 9.4 x 9.4 in / 22 lb

Optional accessories	Description	Reference	Weights and measures
	Split cassette sleeve  Easily clean a split cassette with this cleaning sleeve.	AC3303330	100 x 100 x 100 mm / 5 kg 3.9 x 3.9 x 3.9 inches / 11 Lb
	Split wall sleeve  Easily clean a wall split with this cleaning sleeve.	AC3303329	100 x 100 x 100 mm / 1.35 kg 3.9 x 3.9 x 3.9 in / 3 Lb
	90° Quick conector Fast connection	AC3303316	50 x 50 x 10 mm / 0.1 kg 2 x 2 x 0.4 inches / 0.22 Lb
	45° Quick conector Fast connection	AC3303315	50 x 40 x 10 mm / 0.1 kg 2 x 1.6 x 0.4 inches / 0.22 Lb
	Flex bar Nozzle included Length 60 cm (23.6 in)	AC3303326	800 x 30 x 30 mm / 0.3 kg 31.5 x 1.2 x 1.2 inches / 0.66 Lb
11 Jo 6 5	Coil comb  These combs are used to clean and straighten the fins of the cooling evaporators or condensers.	HE7300110	130 x 110 x 130 mm / 1 kg 5.1 x 4.7 x 5.1 inches / 2.2 Lb
(A)	Coilbox lithium battery Coilbox 5,5 Ah	AC3303405	150 x 70 x 50 mm / 1 kg 5.9 x 2.7 x 1.9 in / 2.2 Lb





Management System ISO 9001:2015 ISO 14001:2015

www.tuv.com ID 9105083228

